



***Aeromonas salmonicida-  
Listonella (Vibrio) anguillarum-  
Vibrio salmonicida Bacterin***

Package  
insert

***To the physician:***

This product contains mineral oil. Even if small amounts have been injected, accidental injection with this product can cause intense swelling, which may, for example, result in ischaemic necrosis and even the loss of a digit. Expert, PROMPT, surgical attention is required and may necessitate early incision and irrigation of the injected area, especially where there is involvement of finger pulp or tendon.

Repeated self injections may aggravate the effects or cause anaphylactic shock.

**PRECAUTIONS:**

Store at 2-7 °C (35-45 °F). Do not freeze.

Use the entire contents when first opened.

**PRESENTATION:**

ALPHA JECT® 4000 is supplied in 500 mL (5000 dose) UVO injection bags.

**MANUFACTURED BY:**

PHARMAQ AS, Overhalla, Norway

**DISTRIBUTED BY:**

Europharma Inc., Chemainus, BC

Tel. 250 710 7890



***Aeromonas salmonicida-  
Listonella (Vibrio) anguillarum-  
Vibrio salmonicida Bacterin***

# Package Insert

CA-7-3006-0,5 IN

PHARMAQ



*Aeromonas salmonicida*-  
*Listonella (Vibrio) anguillarum*-  
*Vibrio salmonicida* Bacterin

Package  
insert



*Aeromonas salmonicida*-  
*Listonella (Vibrio) anguillarum*-  
*Vibrio salmonicida* Bacterin

Package  
insert



*Aeromonas salmonicida*-  
*Listonella (Vibrio) anguillarum*-  
*Vibrio salmonicida* Bacterin

Package  
insert

## For Veterinary Use Only

### DESCRIPTION:

A furunculosis, vibriosis and cold water vibriosis vaccine containing: formalin inactivated cultures of *Aeromonas salmonicida* subsp. *salmonicida*, *Listonella (Vibrio) anguillarum* serotypes O1 and O2 and *Vibrio salmonicida*.

### INDICATIONS:

ALPHA JECT 4000® is recommended for use as an aid in the prevention of furunculosis caused by *Aeromonas salmonicida*, vibriosis caused by *Listonella (Vibrio) anguillarum* serotypes O1 and O2, and cold water vibriosis caused by *Vibrio salmonicida* in healthy Atlantic salmon, 15 g or larger.

### DIRECTIONS FOR USE:

Bring slowly to 15-20 °C and shake well before use. Vaccinate healthy fish, 15 g or larger, intraperitoneally with 0.1 mL of bacterin per fish. Diseased fish should not be vaccinated. It is recommended that the fish be anaesthetized prior to vaccination. Deposit the entire dose into the abdominal cavity in order to reduce the risk of side effects. The injection needle should have an appropriate length to penetrate the abdominal wall by 1-2mm. The entire needle should be inserted into the midline about 1-1.5 pelvic fin lengths anterior to the base of the pelvic fin.

### CAUTIONS:

1. Use only at water temperatures above 1 °C.
2. A period of 400 degree days following the vaccination is recommended before exposure to *Aeromonas salmonicida*.
3. Only administer if the vaccine appears as a homogeneous, cream coloured emulsion after shaking. If the vaccine shows sign of a brownish water phase in the bottom of the container, the vaccine should not be used for vaccination. Contact the distributor for further advice.
4. Ensure that all vaccination equipment is sanitized before use.
5. Dispose of any unused product according to local bio-medical waste disposal requirements.
6. Store out of the reach of children.
7. Vaccinate healthy fish only. Fish incubating disease or stressed due to shipping, malnutrition or parasitism may not achieve an adequate immune response.
8. Do not use in fish intended for breeding.

### CAUTIONS (CONTINUED):

9. Side effects in the form of visceral adhesions and pigmentation may be observed. A transient growth rate reduction due to the stress of handling may be noted following vaccination.
10. No information available on the compatibility of this vaccine with any other veterinary medicinal product.
11. Do not administer any other vaccines within 14 days before or after vaccination with ALPHA JECT® 4000.
12. Do not vaccinate within 60 days prior to slaughter.
13. Ensure that the method of restraint, handling and administration minimizes the risk of accidental self injection. This product is a mineral oil-based compound. Accidental self injection may result in severe pain and swelling and requires prompt medical attention.

#### To the user:

This product contains mineral oil. Accidental injection/self injection may result in severe pain and swelling, particularly if injected into a joint or finger, and in rare cases could result in the loss of the affected finger if prompt medical attention is not given.

If you are accidentally injected with this product, seek prompt medical advice even if only a very small amount is injected and take the package leaflet with you.

If pain persists for more than 12 hours after medical examination, seek medical advice again.